

TightGate-Pro: Provide bookmarks centrally

To make bookmarks centrally available to all users, TightGate-Pro offers assistance. With the function "Import link page" it is possible to provide a centralised own HTML page within TightGate-Pro. If the browser start page refers to the self-generated HTML page, users are shown the centrally provided bookmarks. The central bookmarks are stored as follows:

This is required

- An index.html file containing all the desired bookmarks. The page can also contain rudimentary CSS.

This is how it works

- Via the TightGate-Schleuse in the transfer directory of the administrator **config** create a new folder with the name **startseite** and add the file **index.html** file there.
- As administrator **maint** choose the menu item **Import link pages**. A list of all links in the transfer directory of **config** is displayed. Select and confirm the desired file.
- In order to make the central HTML file accessible to all users, choose as administrator **config** the menu item **User Preferences > WWW Homepage** and reference to the central. The entry should be: <http://localhost/links/>
- **Save** and **Apply** the new setting.
- To ensure that existing users also have access to the central bookmarks, they must also be told to change the browser start page to <http://localhost/links/> as well.

Note: With TightGate-Pro cluster systems, the import must be carried out separately on each node. In this way, however, it is possible to test the central bookmarks first on a node (which may be undergoing maintenance).

From:
<https://help.m-privacy.de/> -

Permanent link:
https://help.m-privacy.de/doku.php/en:faq:tightgate_pro_zentrale_lesezeichen

Last update: **2024/01/28 09:37**

